

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	9	account AND (mask\$3 common secret common key shared key shared secret) AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/12 13:31
L4	15	account AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/12 13:33
L5	23	account AND updat\$3 AND mobile (station device user) AND base station AND identif\$7 AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/12 13:34
S1	118	(380/273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 09:09
S2	2	(time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND (380/273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 15:09
S3	2	registration AND (time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND (380/273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 15:10

EAST Search History

S4	51	registration AND (time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 13:15
S5	28	broadcast AND registration AND (time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:00
S6	0	(receive OR receiving OR received) AND (send OR sent OR sending OR transmit OR transmitting OR transmitted) AND ("ID" OR identifier OR identification) AND (mask\$1key) AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND (packet data service) AND (base\$1station) AND telecommunications AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:05
S7	0	(receive OR receiving OR received) AND (send OR sent OR sending OR transmit OR transmitting OR transmitted) AND ("ID" OR identifier OR identification) AND mask\$1key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet\$1data\$1service AND base\$1station AND telecommunications AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:06

EAST Search History

S8	0	mask\$1key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet\$1data\$1service AND base\$1station AND telecommunications AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:06
S9	0	mask key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet\$1data\$1service AND base\$1station AND telecommunications AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:06
S10	0	mask key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet data service AND base station AND telecommunications AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:06
S11	1	mask key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet data service AND base station AND registration AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:07
S12	1	mask key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet data service AND base station AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:07

EAST Search History

S13	0	mask\$1key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet\$1data\$1service AND base\$1station AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:08
S14	9	key AND (decrypt OR decryption OR decrypted OR decrypting) AND (encryption OR encrypt OR encrypted OR encrypting) AND packet data service AND base station AND (mobile OR mobile unit OR mobile device) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 08:08
S15	374	registration AND (time OR time to live OR time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 13:16
S16	51	registration AND (time to live OR time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 13:58
S17	36	(hash OR one\$way function) AND registration AND (time to live OR time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 15:02

EAST Search History

S18	60	(hash OR one\$way function) AND (time to live OR time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 15:45
S19	14	base station AND (hash OR one\$way function) AND (time to live OR time\$1to\$1live OR lifetime) AND (mask key OR key) AND (receive OR receiving OR received OR reception) AND (transmit OR transmitting OR transmitted OR transmission) AND (generate OR generating OR generated OR generation) AND (mobile OR mobile station) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 15:46
S20	2	"6707915".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/29 08:57
S21	6	updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (380/273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/10 10:07
S22	40	updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 11:19
S23	0	mask key AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 16:06

EAST Search History

S24	0	(mask\$3 NEAR key\$1) AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 16:29
S25	0	mask\$3 key\$1 AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 16:29
S26	3	(mask\$3 SAME key\$1) AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 16:30
S27	26	(mask\$3 common secret common key shared key shared secret) AND updat\$3 AND mobile station AND base station AND identif\$7 AND (register\$3 registration) AND encrypt\$3 AND decrypt\$3 AND (713/162,163,168.ccls. 380/59,247,270,273.ccls.) AND (@pd<"20030411" or @ad<"20030411" or @prad<"20030411" or @rlad<"20030411")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/11 17:09